

DONGGUAN CITY ZHILI GAS SPRING CO., LTD.  
 HONGLING INDUSTRIAL ZONE, SHENXIANG VILLAGE, QISHI TOWN, DONGGUAN CITY,  
 GUANGDONG PROVINCE, R.P OF CHINA

Sample Description : GAS SPRING

As above test item and its relevant information regarding to the submission are provided and confirmed by the applicant. SGS is not liable to either the test item or its relevant information, in terms of the accuracy, suitability, reliability or/and integrity accordingly.

\*\*\*\*\*

Sample Receiving Date : Dec 19, 2022

Test Performing Date : Dec 23, 2022 to Jan 06, 2023

Test Performed : Selected test(s) as requested by applicant

### Test Result Summary

| No.  | Test(s) Requested  | Result(s) | Comments |
|--|--|-----------|----------|
| 1  | Cycle life test with reference to clause 6.7 of GB/T 29525—2013<br>Chair height adjustment gas spring – Technical specification. | PASS      | /        |
| For further details, please refer to the following page(s) |  |           |          |

Signed for and on behalf of  
 SGS-CSTC Standards Technical Services Co., Ltd. Shunde Branch

*Marco Leung*

Marco Leung  
 Authorized Signatory

scan to see the report



SDHL2212101482FT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.  
 Shunde Branch Harbin

1/F, 1<sup>st</sup> Building, European Industrial Park, No. 1 Shunhe South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgs.com.cn  
 中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号楼首层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

**TESTS AND RESULTS**

**Test Conducted:**

Cycle life test with reference to clause 6.7 of GB/T 29525—2013 Chair height adjustment gas spring – Technical specification.

**No. of Sample:**

1 piece. For more sample information and pictures, please refer to the following page.

| No. | Test Item  | Requirement   | Test Result  |
|-----|------------|---|--|
| 1   | Cycle life | The gas spring will undergo 50,000 cycle life (when the stroke is $\leq 60$ mm, the actual stroke shall be followed; When the stroke is $> 60$ mm, press the 60 mm stroke) with frequency about 6 times per minute, the total attenuation of the nominal force Fa shall not be greater than 13% after the test. | PASS<br><br>(Total attenuation of the nominal force Fa: 3.71%) |

**Remark:**

1. The report is English version of Chinese test report SDHL2212101482FT\_CN. The Chinese version shall prevail in case of discrepancy between the Chinese version and English version.
2. For the sample information and pictures, please refer to the following page.



**SAMPLE INFORMATION AND PICTURES**

**Weight:** 430.3 g/piece


**Overall Dimensions:** 380 mm L x  $\Phi$ 10.00 mm x  $\Phi$ 28.15 mm

**Other Dimensions:** Stroke: 75 mm

**Sample as Received**



View 1



View 2

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

\*\*\*End of Report\*\*\*

